## **EDS - PROVIDER LAYOUTS**

FIELD NAME	FIELD SIZE	FORMAT	TABLE NAME	FIELD	DESCRIPTION	NOTES
			PROVIDER ADDR	ESS INFORMATION		pbm00800.dat
					The provider identification number used by the	*
Provider ID	9	Char	T_PR_PROV	ID_PROVIDER	provider.	
					Suffix added to the provider number to identify the	
Service Location	1	Char	T_PR_SVC_LOC	CDE_SERVICE_LOC	various locations that a provider does business.	
					Indicates whether the address is for the physical	
Address Type	1	Char	T_PR_LOC_NM_ADR	IND_ADDR_TYPE	service location (S) or a mailing address (M).	
					Numeric representation of county in the state of	
Provider County	2	Char	T_PR_SVC_LOC	CDE_COUNTY	Indiana.	
					This is the name associated with an organization or	For each Service Address (per
Provider Name	39	Char	T_PR_NAM	NAME	person.	cde_service_loc)
						For each Service Address (per
Provider Address1	30	Char	T_PR_ADR	ADR_MAIL_STRT1	Address street 1. This is a street address.	cde_service_loc)
					A	For each Service Address (per
Provider Address2	30	Char	T_PR_ADR	ADR_MAIL_STRT2	Address street 2. This is a street address.	cde_service_loc)
Describer City	45	Char	T DD ADD	ADD MAIL CITY	A deluga a ait.	For each Service Address (per
Provider City	15	Char	T_PR_ADR	ADR_MAIL_CITY	Address city.	cde_service_loc)
Danida a Otata		Ob	T DD ADD	ADD MAIL OTATE	Address state	For each Service Address (per
Provider State	2	Char	T_PR_ADR	ADR_MAIL_STATE	Address state.	cde_service_loc) For each Service Address (per
Dua, dalar Zinaa da	5	Char	T DD ADD	ADD MAIL ZID	Address zip code. This is the first 5 digits of the zip code.	cde service loc)
Provider Zipcode	5	Char	T_PR_ADR	ADR_MAIL_ZIP	Address zip code + 4. This is the last 4 digits of a	For each Service Address (per
Provider Zipcode Ext	4	Char	T PR ADR	ADR MAIL ZIP 4	zip code.	cde service loc)
Provider Zipcode Ext	4	Criai	I_PK_ADK	ADR_WAIL_ZIP_4	This is a phone number in the format area code +	For each Service Address (per
Provider Phone Number	10	Char	T PR ADR	NUM PHONE	prefix + suffix.	cde service loc)
Tovider i florie ivalliber	10	Cilai	I_I I\_ADI\	NOW_I TIONE	This is the provider type that a provider is licensed	cue_service_ioc)
Provider Type	2	Char	T PR SPEC	CDE PROV TYPE	for.	
Tovider Type		Oriai	1_11(_01 _0	OBE_I NOV_III E	This field contains the provider specialty which is the	
					main focus of the provider's practice. Each provider	
					type must have a primary specialty and the primary	
					specialty must be one of the provider's existing	
Provider Primary Specialty	3	Char	T PR TYPE	CDE PROV SPEC PRIM	specialties.	
icense Number	10	Char	T PR TYPE	NUM PROV LIC	A provider license number.	
Carriage Return	1	Hex	n/a	n/a	1 byte for return at end of line	
	164				•	
			Health Profess	sion Bureau File		pbm00801.dat
Licence Number	10	Char	T PR HB LIC	NUM_PROV_LIC	Licence number as supplied by HPB	. <b></b>
Name	39	Char	T_PR_HB_LIC	NAME	Name of Licencee from HPB	
Social Security Number	9	Char	T_PR_HB_LIC	NUM_SSN	Social Security Number of Licencee from HPB	
Effective Date	8	Date	T_PR_HB_LIC	DTE_EFFECTIVE	The date the license segment became effective.	
End Date	8	Date	T_PR_HB_LIC	DTE_END	The date that the license segment ended.	
Carriage Return	1	Hex	n/a	n/a	1 byte for return at end of line	
	75					

## **EDS - PROVIDER LAYOUTS**

FIELD NAME	FIELD SIZE	FORMAT	TABLE NAME	FIELD	DESCRIPTION	NOTES
		1	Provide	r DEA file	The provider identification number used by the	pbm00804.dat
Provider ID	9	Char	T_PR_PROV	ID_PROVIDER	provider.	
Service Location	4	Char	T PR DEA	CDE SERVICE LOC	Suffix added to the provider number to identify the various locations that a provider does business.	
DEA Number	9	Char	T_PR_DEA	NUM DEA	Drug Enforcement Agency Number	
Effective Date	8	Date	T_PR_DEA	DTE_EFFECTIVE	The date the DEA Number became effective.	
Enceive Bate	0	Date	I_I K_BEA	BIL_EITEOTIVE	The date the BEA Number Became encouve.	
End Date	8	Date	T_PR_DEA	DTE_END	The date that the DEA Number ended.	
Carriage Return	1	Hex	n/a	n/a	1 byte for return at end of line	
	36					
		PROV	IDER SERVICE LOCATI	ON ELIGIBILITY INFORMAT		pbm00802.dat
Para i dan ID		Ob a s	T DD DDOV	ID DDOVIDED	The provider identification number used by the provider. (Convert sak_prov to id_provider by	
Provider ID	9	Char	T_PR_PROV	ID_PROVIDER	linking to the t_pr_prov table.)  Suffix added to the provider number to identify the	
Service Location	1	Char	T PR SVC ELIG	CDE SERVICE LOC	various locations that a provider does business.	
DELVICE LUCATION	· ·	Cital	1_1 11_0 10_EEI0	ODE_OERVIOL_EGG	Effective date for a providers program eligibility.	
Provider Enrollment Date	8	Date	T_PR_SVC_ELIG	DTE_EFFECTIVE	Used to signify the start of a span or period of program eligibility.	
					The date that a providers program eligibility is no	
Provider Disenrollment Date	8	Date	T_PR_SVC_ELIG	DTE_END	longer in effect.	
Enrollment Status	1	Char	T PR SVC ELIG	CDE_ENROLL_STATUS	This is the letter assigned to the enrollment status description to uniquely identify it. Examples of valid values are: R=Retired, D=Deceased, M=Return Mail, I=Term by IFSSA, H=Term by HCFA, B=Term by HPB, and A=Active.	
					Uniquely identifies each State program. 590, ARCH, Medicaid. (Link on sak pub hlth to get	
Program	2	Char	T_PUB_HLTH_PGM	CDE_PGM_HEALTH	cde_pgm_health from t_pub_hlth_pgm table.)	Rows for PKG C not sent.
Carriage Return	1	Hex	n/a	n/a	1 byte for return at end of line	
	30					
			PROVIDER SPECIA	ALTY INFORMATION	The provider identification number used by the provider. (Convert sak_prov to id_provider by	pbm00803.dat
Provider ID	9	Char	T_PR_PROV	ID_PROVIDER	linking to the t_pr_prov table.)	
Service Location	1	Char	T_PR_SPEC	CDE_SERVICE_LOC	Suffix added to the provider number to identify the various locations that a provider does business.	
Provider Type	2	Char	T_PR_SPEC	CDE_PROV_TYPE	This is the provider type that a provider is licensed for.	
1 TOVIGOT TYPO		Onai	1_1 11_01 20	ODE_I NOV_I II E	A code representing the specialized area of practice	
Provider Specialty	3	Char	T_PR_SPEC	CDE_PROV_SPEC	for a provider.	
Specialty Effective Date	8	Date	T_PR_SPEC	DTE_EFFECTIVE	The date the specialty of the provider becomes valid (effective).	
Specialty End Date	8	Date	T_PR_SPEC	DTE_END	The date the specialty of the provider is no longer valid (effective).	
Provider Sub-specialty	3	Char	T PR SPEC	CDE_PROV_SUBSPEC	A designation indicating the scope of practice or operations of the provider within a provider specialty.	
Carriage Return	1	Hex	n/a	n/a	1 byte for return at end of line	
<b>3</b>	35				* * * * * * * * * * * * * * * * * * * *	

## **EDS - PROVIDER LAYOUTS**

FIELD NAME	FIELD SIZE	FORMAT	TABLE NAME	FIELD	DESCRIPTION	NOTES
	Tr.	1	GROUP PROVID	ER INFORMATION	.,	pbm00805.dat
Group ID	9	Char	T_PR_PROV	ID_PROVIDER	This is the Provider Number for the Group Provider	
2.54					Suffix added to the provider number to identify the	
					various locations that a provider does business - for	
Group Service Location	1	Char	T_PR_GRP_MBR	CDE_SERVICE_LOC	the group provider	
					This is the Provider Number for the Individual or	
ID Provider	9	Char	T_PR_PROV	ID_PROVIDER	Group Member Provider	
					This is the name associated with an organization or	
Provider Name	39	Char	T_PR_NAM	NAME	person - for the individual provider, not the group.	
Effective Date	8	Date	T_PR_GRP_MBR	DTE_EFFECTIVE	Date the provider is effective with this group.	
					Date the provider is no longer effective with this	
End Date	8	Date	T_PR_GRP_MBR	DTE_END	group.	
Ì					This is the provider type that the provider is licensed -	
Provider Type	2	Char	T PR GRP MBR	CDE PROV TYPE	for the individual provider, not the group.	
1 Tovider Type		Orial	T_T IC_ORT _INIDIX	OBE_I NOV_III E	A provider license number - for the individual	
License Number	10	Char	T_PR_GRP_MBR	NUM_PROV_LIC	provider, not the group.	
2.0000 . (0		01.01	1_111_0111	item_ittet_bie	This field contains the provider specialty which is the	
					main focus of the provider's practice - for the	
Primary Specialty	3	Char	T_PR_GRP_MBR	CDE_PROV_SPEC_PRIM	individual provider, not the group.	
Carriage Return	1	Hex	n/a	n/a	1 byte for return at end of line	
	90					
			· · · · · · · · · · · · · · · · · · ·	IN INFORMATION		pbm00806.dat
ID Provider	9	Char	T_PR_PROV	ID_PROVIDER	(Convert sak_prov to id_provider).	
UPIN (Univ. Provider Id. No.)	6	Char	T PR PROV	NUM UPIN	This is the universal provider identification number.	
,						
		1			Denotes the classification of the provider (B - Billing,	
Provider Classification	1	Char	T_PR_PROV	CDE_PROV_CLASS	R- Rendering Only, G- Group, D - Dual-Role	
On Review Indicator	1	Char	T PR PROV	IND ON REVIEW	Indicates that the provider is on review. Values Y, N	
Carriage Return	1	Hex	n/a	n/a	1 byte for return at end of line	
	18	-			.,	